



# APPROVAL OF MANUFACTURER CERTIFICATE

Certificate no.:  
**AMMM00000Z1**  
Revision No:  
**3**

## This is to certify:

that

**voestalpine Böhler Profil GmbH**  
**Waidhofner Straße 8, 3333 Bruckbach,**  
**Austria**

is an approved manufacturer of  
**Rolled Steel Products**

in accordance with

**DNV rules for classification – Ships**  
**DNV rules for classification – Naval vessels**  
**DNV class programme – DNV-CP-0244 Rolled steel products - stainless steel**

and the following particulars:

<b>Application area</b>	<b>Non-magnetizable steels</b>
<b>Product</b>	<b>Bars and Sections</b>
<b>Grade(s)</b>	<b>See page 2</b>
<b>Manufacturing method</b>	<b>See page 2</b>
<b>Heat treatment conditions</b>	<b>See page 2</b>
<b>Max. thickness/diam.</b>	<b>50 mm</b>

Manufacturer(s) approved by this certificate is/are accepted to deliver according to DNV GL, DNV and GL rules.  
Materials to be applied to DNV classed object shall fulfill the material requirements in the applicable DNV class rules.

Issued at **Hamburg** on **2025-07-04**

This Certificate is valid until **2028-07-31**.

DNV local unit: **Augsburg**

Approval Engineer: **Andrzej Otrebski**



for **DNV**

This document has been digitally signed and will  
therefore not have handwritten signature

Stefan Röhr

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.

## Particulars of the approval

---

### Non-magnetizable steels (bars and sections)

Grade	Manufacturing method	Max. thickness [mm]	Heat treatment condition <sup>1)</sup>
1.3964 acc. to BWB WL 1.3964-2	Hot rolling, cold rolling	50	SHT
1.3964 acc. to SEW 390	Hot rolling, cold rolling	50	SHT

Remarks:

<sup>1)</sup> SHT: Solution heat treated (solution annealed)