



Landesgesellschaft
Österreich

Certificate of constancy of performance Certificate - No.: 0531 – CPR – 1317 – 0893

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Kremsbarrier 2 RH2C for pile driving ground condition

Containment level:	H2
Normalized working width:	W5
Impact severity:	A
Normalized dynamic deflection:	1,5 m
Normalized vehicle intrusion:	VI7
Resistance to snow removal:	Class 4

durability: galvanized in accordance with EN ISO 1461

produced by
voestalpine Krems Finaltechnik GmbH
Schmidhüttenstrasse 5
Postfach 42
A-3500 Krems

and produced in the manufacturing plants
voestalpine Krems Finaltechnik GmbH
Schmidhüttenstraße 5
Postfach 42
A -3500 Krems

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA 1.b of the standard

EN 1317-5:2007+A2:2012/AC:2012

under system 1 for the performances set out above are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 19.04.2013, based on the report 22498/19.04.2013 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Wien, 12.12.2019

Notified body, No. 0531



(Dipl. – Ing. Gerald Bachler)

voestalpine
ONE STEP AHEAD.



Landesgesellschaft
Österreich

**Annex to certificate of constancy
of performance**
Certificate - No.: 0531 – CPR – 1317 – 0893

For the construction product **Kremsbarrier 2 RH2C for
pile driving ground
condition**

**Placed on the market
by** **voestalpine
Krems Finaltechnik GmbH
Schmidhüttenstraße 5
A – 3500 Krems**

Modification 1:

**Approved on
20.11.2013**

Handrail:

The VRS may be extended by a handrail. No additional drilling on the system must be performed. The functionality remains. The detailed function of the handrail is described in the technical report that is part of the modification report. The modification remains valid with the test report 21628_Rev02/20/11/2013.

Modification 2:

**Approved on
12.12.2014**

Side reinforcement:

The VRS may be installed without the outer side reinforcement plates (drawing no. 30-001.0995). The plates with contact to the support bars must still be installed. The modification remains valid with the test report 28190/12/12/2014.

Wien, 12.12.2019



voestalpine
ONE STEP.AHEAD.