



SZA  
Österreich

## Certificate of constancy of performance Certificate - No.: 0034 – CPR – 2010

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### **Kremsbarrier 1 RN2C for pile driving ground condition**

Containment level:	N2
Normalized working width:	W5
Impact severity:	A
Normalized dynamic deflection:	1,3 m
Resistance to snow removal:	NPD

durability: galvanized in accordance with EN ISO 1461

produced by

**voestalpine Krems Finaltechnik GmbH**  
**Schmidhüttenstrasse 5**  
**Postfach 42**  
**A-3500 Krems**

and produced in the manufacturing plant

**voestalpine Krems Finaltechnik GmbH**  
**Schmidhüttenstrasse 5**  
**Postfach 42**  
**A-3500 Krems**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA 1.b of the standard

**EN 1317-5:2007+A2:2012/AC:2012**

under system 1 for the performances set out above are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 29.06.2015, based on the report 30340/02.07.2015 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Wien, 21.09.2015



**voestalpine**

ONE STEP AHEAD.





SZA  
Österreich

# Annex to Certificate of constancy of performance

0034 – CPR – 2010

**For the construction product**    **Kremsbarrier 1 RN2C  
for pile driving ground  
condition**

**Placed on the market  
by**    **voestalpine  
Krems Finaltechnik GmbH  
Schmidhüttenstraße 5  
A – 3500 Krems**

### Modification 1:


**Approved on  
31.01.2012**

Beam length:

A modified beam with a length of 4m may be used instead of the 6m element (drawing no. 30-010.6000C and 30-010.4000C). The modification was assessed and approved in the report 21628/31/01/2012.

ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFICAT ◆ 認 証 証 書 ◆

Wien, 21.09.2015



(Dipl. – Ing. Karl-Heinz Raunig)

**voestalpine**

ONE STEP AHEAD.



ISO/IEC 17065